

PROGRAM GUIDE

NEIGHBORHOOD TRAFFIC SAFETY PROGRAM (NTSP)



http://www.knoxvilletn.gov/trafficsafety

January 4, 2022

TABLE OF CONTENTS

- Introduction Program Overview II. Education III. Enforcement IV. Engineering V. Steps toward Traffic Safety A. Application for Traffic Safety Study B. Kick-off Meeting C. Neighborhood Petition **Decision Point #1**: More Than 50% Approve? (50% + 1) D. Traffic Safety Study **Decision Point #2**: Qualify for Enhanced Enforcement? **Decision Point #3**: Threshold Met for Concept Plan? E. Traffic Safety Study Results F. Development of Concept Plan G. Concept Plan Meeting **Decision Point #4**: Advance to Detailed Design? H. Detailed Design I. Bidding and Construction J. Post-Construction Evaluation VI. Appendices
- - A. Application for a Neighborhood Traffic Safety Study
 - B. Petition
 - C. Traffic Safety Education Toolbox
 - D. Traffic Calming Toolbox
 - E. Other Engineering Tools
 - F. Frequently Asked Questions (FAQ)
 - G. Glossary

I. Introduction

The City of Knoxville's Neighborhood Traffic Safety Program (NTSP) reflects the City's commitment to the safety and livability of its residential neighborhoods. Under this program, the Traffic Engineering Division works with the Fire Department, Police Department, Office of Neighborhood Empowerment, and residents to identify traffic problems in residential neighborhoods and seek appropriate solutions.

The goal of the NTSP is to promote safe and livable neighborhoods by reducing the negative impact of traffic in **residential areas** through Education, Enforcement, and Engineering. A livable neighborhood can be described as one in which residents enjoy the following:

- Ability to feel safe and secure when using the streets.
- Opportunity to interact with neighbors.
- Ability to experience a sense of home and privacy.
- A sense of community identification.

II. Program Overview

Experience in other cities has shown that traffic safety initiatives that are implemented without involving the residents in the neighborhood are frequently unsuccessful, and therefore neighbor participation is a key component of this program.

The NTSP involves one or more of the following elements in each neighborhood that applies for the program:

Education: Using information and tools supplied by the City, a neighborhood can engage in a neighborhood-centric, neighborhood-run campaign to make drivers, pedestrians and bicyclists more aware of speeding.

Enforcement: As staffing allows, a police officer is dedicated to speed enforcement in four-hour blocks for two to four weeks at a time on a rotating basis.

Engineering: Depending on the individual neighborhood situation, the City makes route modifications or installs one or more traffic calming measures such as speed humps and neighborhood traffic circles.

Under the NTSP, **street classification is a key consideration**. Streets in Knoxville are classified in one of seven ways: local, minor collector, major collector, minor arterial, major arterial, expressway, and interstate. These classifications are determined by Knoxville Knox County Planning as described in the <u>Major Road Plan</u> for the City of Knoxville and Knox County.

Local streets — **those <u>not listed</u> in the Major Road Plan** — are eligible to be considered for Engineering. Minor collectors located within residential neighborhoods may also be considered on a **case by case** basis.

Major collectors, minor arterials and major arterials are not eligible for traffic calming measures under **this program**. (*There are a number of reasons for this limitation, as noted in the answer to question 1 in Appendix F, Frequently Asked Questions.*) Outside of the NTSP, neighborhoods may ask KPD to include major collectors and both minor and major arterials for enhanced enforcement. Moreover, neighborhoods also may wish to deploy certain Education components to address speeding on arterials and major collectors in neighborhoods. Larger roadways are frequently the focus of a variety of Engineering-led traffic safety initiatives to address issues outside of the NTSP.

Dead-end streets can have speeding and may apply. However, dead-end streets usually don't meet the threshold to move onto concept planning.

Private residential streets, also known as Joint Private Easements, are not eligible for this program. Typically these are streets within a Homeowners Association or gated neighborhoods.

All residential properties located on the street(s) applied for are included in the petition calculation process. For more information on obtaining petition signatures, please contact Hayley Howard at 865-215-2113 or hhoward@knoxvilletn.gov.

Please Note: Due to staff and budget limitations, constraints in the physical environment, and other factors, the NTSP is typically limited in the number of Engineering and Enforcement actions that can respond to valid speeding concerns in a given year. Neighborhoods are encouraged to collaboratively pursue Education actions to address issues while waiting for longer-term engineering solutions.

III. Education

The Education component of the NTSP seeks to reduce speeding and other negative traffic impacts in a neighborhood by appealing to speeders to alter their behavior. The focus is on drivers who live in and/or regularly drive through the neighborhood.

The program depends primarily on the neighborhood organization and/or a group of concerned residents to manage their own neighborhood-centric campaign using information and tools provided by the City and other sources.

A **Traffic Safety Education Toolbox** is available for these campaigns. For more detail, see Appendix C.

- <u>Basic Tools</u> are available to neighborhoods at any time, whether or not they have applied for a Neighborhood Traffic Safety Study.
- Advanced Tools can be deployed in neighborhoods that have qualified for the development of a Concept Plan. Depending on availability, Advanced Tools may also be available to neighborhoods where a Traffic Safety Education Study was conducted.

IV. Enforcement

The Knoxville Police Department's Enhanced Neighborhood Speed Enforcement (ENSE) program (formerly known as "traffic calming") continues to operate as a stand-alone program but is also part of the NTSP.

Under KPD's program, off-duty police officers are dedicated to speed enforcement in four-hour blocks for two to four weeks at a time on a rotating basis (usually about three times per year). This program is contingent on available staffing and may not be able to accommodate all requests.

Under the NTSP, KPD and the Traffic Engineering Division work together to evaluate speeding in neighborhoods that have submitted a successful petition for a Neighborhood Traffic Safety Study. Data from patrol officers and counting devices help determine if a neighborhood should be added to the ENSE program if it is not already on the list. (This same data also will help determine if a neighborhood qualifies for more in-depth study for possible traffic calming devices or route modifications.)

Based on officer availability, KPD may use its discretion to add or remove reported trouble spots from the rotation list. Random speed enforcement may then be applied to the area by on-duty patrol officers when feasible.

V. Engineering

If the City determines that Education and Enforcement cannot provide an adequate response to the level of speeding experienced on a local street, then Engineering solutions will be considered. In this program, the term "Engineering" is used to describe both route modifications and physical traffic calming measures. (See Appendix D.)

Traffic calming is characterized as the combination of mainly physical measures that reduce the negative effects of motor vehicles, alter driver behavior, and improve conditions for non-motorized street users. It is the retrofitting of physical measures into the roadway to reduce traffic speeds. Traffic calming measures are intended to be self-enforcing.

Along with or in lieu of traffic calming treatments, Traffic Engineering may recommend route modifications as a way to reduce speeding in a residential neighborhood.

The program depends primarily on the neighborhood managing their own outreach efforts and gathering petitions.

Traffic calming treatments are typically the most expensive means of mitigation and have the most significant impact on residents. <u>The implementation of any traffic calming treatment without local support can have significant backlash. It is for these reasons that the neighborhood must be fully engaged in the process, and that the City will implement traffic calming only when the evidence clearly shows</u>

<u>such measures are the only effective means for reducing speeding that endangers public safety.</u>

Listed are several measures commonly thought of as "traffic calming" that are **not** part of the NTSP program:

- Stop Signs: City Engineering evaluates the need for stop signs through their
 routine traffic engineering and safety efforts. Often, stop signs are not effective
 at calming traffic and reducing speed.
- Speed Limit changes: The default speed limit is 25 miles per hour. Traffic
 Engineering has the discretion to consider reducing this further, if conditions
 justify it. A 25 mph speed limit is appropriate for the majority of neighborhood
 streets.
- "Paint the Pavement" or Tactical Urbanism solutions: Neighborhoods may
 have ideas for low-cost or creative ways of addressing a variety of traffic issues.
 These types of projects are not part of the NTSP program, but the Office of
 Neighborhood Empowerment and Engineering may explore such requests on a
 case-by-case basis as Place making projects.

Also, eliminating "cut-through" traffic is not a goal of this program. All roads in the city, including neighborhood streets, are public roads maintained by the City for the public's use. *Reduction of speeding is the program's primary goal.* Traffic calming measures may or may not reduce the appeal of a particular street or neighborhood for pass-through drivers.

VI. Steps toward Traffic Safety

The NTSP is a step-by-step process that starts with an inquiry from a Neighborhood and moves toward a solution involving Education, Enforcement, and/or Engineering.

In this document, "Neighborhood" is defined as either an established neighborhood organization registered with the City's Office of Neighborhood Empowerment or a residential neighborhood with no neighborhood organization.

A. Application for Traffic Safety Study

To start the process, a neighborhood organization <u>OR</u>, if there is no active neighborhood organization, a group of three or more individual households may submit an Application requesting a Neighborhood Traffic Safety Study.

Individuals within the boundaries of an established neighborhood organization may also wish to apply. However, such individuals will be asked to work with their neighborhood organization as there may be other roads the group is working on or would like to be add to the application.

The Application is available online at www.knoxvilletn.gov/trafficsafety or in hard copy form by calling and leaving a message in the Office of Neighborhood Empowerment at 865-215-2113. See Appendix A for details.

B. Kick-off Meeting

In response to an Application for a traffic safety study, City staff will coordinate with the Neighborhood to schedule an informational "Kick-Off Meeting" between neighborhood residents and City staff when needed.

Informing and involving neighbors is crucial to the success of this program, and <u>the responsibility for this outreach falls on the Neighborhood</u>. The City will encourage organizers to reach out to their neighbors and inform them of this and all subsequent meetings with the City. This outreach can best be accomplished with door-to-door visits and distribution of printed meeting announcements as well as email and social media.

At the meeting, the City will explain the NTSP, and neighbors will share their concerns and observations about speeding in the neighborhood.

The Office of Neighborhood Empowerment is available to help both neighborhood groups and neighbors in unorganized neighborhoods plan this meeting and any subsequent meetings. Contact Hayley Howard at 215-2113 or hhoward@knoxvilletn.gov.

C. Neighborhood Petition

The Neighborhood will be asked to circulate a Petition to gather signatures in support of the Traffic Safety Study and the possible implementation of traffic calming measures. (See Appendix B.)

Neighborhood leaders can consult with the City to determine the target area for the petition drive, but it is the Neighborhood that identifies the streets and street segments where they would like to focus their traffic calming efforts. The Office of Neighborhood Empowerment can provide a print-out of the house numbers on the target streets if requested.

For the process to move to the next step, the Petition must be signed by a simple majority of the households (50% + 1) on the target street(s) or street segment(s). Petition signatures will be reviewed and checked by City staff for validity.

See Appendix G – Guidelines for Gathering Petitions

<u>Decision Point #1: More Than 50% Approve?</u>

A petition signed by a majority of households demonstrates that the neighborhood organization or persons initiating this process have the support of their neighbors and that neighbors have been advised of potential solutions. It ensures that organizers are working to involve affected neighbors at the outset. This outreach can also be the first step in helping raise awareness about speeding.

***After 90 days with no contact with the group, the group will be placed on the dormant/inactive list.

***After 120 days, if the group fails to gain majority support for a Traffic Calming Study, the group will be placed on the dormant/inactive list. If at a later date the group gains support, the group can move back to the active list at the same stage in the process where the group left off.

If the neighborhood cannot gain majority support for a Traffic Calming Study, a neighborhood can still utilize the basic tools of the Traffic Safety Education Toolbox (see Appendix C).

If more than fifty percent (50%) of eligible households sign a petition to request a Traffic Safety Study, then the Neighborhood and City can proceed to the next step.

D. Traffic Safety Study

The City will gather information from 1) KPD's observations of speeding and traffic patterns, 2) speed and volume data generated by counting devices, and 3) the history of collisions on the target street(s).

Working together, KPD and Engineering will use their best judgment to determine whether speeding in the impact area exceeds acceptable levels based on Engineering standards. Their decision will be informed by input from the Neighborhood, by the assembled data, and by the score generated by this speed and volume formula:

Point Criteria Chart: Speeding		
Criteria Measurable Factor		
Speed	One point for each mph that the 85 percentile speed is over the regulated speed limit [(85 percentile speed – regulated speed limit) xpts]	
Volume	One point for every 500 vehicles of daily traffic [ADT/500], with a maximum of four points.	

<u>Decision Point #2: Qualify for Enhanced Enforcement?</u>

Based on results from the Traffic Safety Study, KPD will determine if the speeding warrants Enhanced Neighborhood Speed Enforcement (ENSE). If so, KPD will proceed to work the target street(s) into the rotation. This is contingent on available staffing.

<u>Decision Point #3: Threshold Met for Concept Plan?</u>

In addition, Engineering will determine if the project should proceed to the Concept Plan Stage. Neighborhoods not selected in the current year will be considered in the next round of projects.

Some tools provided by Traffic Engineering may be available to neighborhoods even if they do not advance to the Concept Plan stage right away. These include speed limit signs, grooved rumble strips, allowance for on-street parking, and pavement markings. These requests would be made separately from the NTSP. See Appendix E.

Education is an option whether or not a Neighborhood advances to the Concept Plan stage.

E. Traffic Safety Study Results

When the data collection and evaluation are complete, the Office of Neighborhood Empowerment will notify the Neighborhood via email or phone call. If the group would like to schedule a meeting via Zoom or in person to discuss the results, they may do so.

F. Development of Concept Plan

Utilizing all available data as well as input from neighbors, the Engineering Department will develop a concept plan which, in the best judgment of Traffic Engineering, will reduce speeding in the Neighborhood. The plan will recommend specific traffic calming measures in specific locations and, in very limited cases, route modifications.

As part of this process, and in consultation with neighbors, the City may install temporary speed humps or other temporary physical devices to determine the impact of such devices on speeding and traffic patterns.

Based on traffic patterns in the area, the City may also elect to expand the impact area to include streets and street segments which may be affected by actions taken to mitigate the concerns expressed in the original Application. For example, adding traffic calming measures to a single street in a grid pattern neighborhood might simply move the problem to the parallel street, in which case a more comprehensive solution would be required.

The Office of Neighborhood Empowerment will consult with Traffic Engineering, Public Service, the Fire Department, the Police Department and Knoxville Area Transit to make sure that individual traffic calming measures do not interfere with emergency response or bus operations. For example, a decision on whether to install a neighborhood traffic circle might depend on room for a turning radius that would accommodate fire trucks.

G. Concept Plan Meeting

The concept plan will be presented to the Neighborhood at a Concept Plan Meeting either in person or via Zoom. Staff will receive input and ideas from neighbors at the meeting. Revisions may be made by the City as a result of neighborhood feedback. Careful consideration will be given to those residents whose properties are immediately adjacent to proposed locations of traffic calming devices. More than one Concept Plan Meeting may be necessary to develop the final plan.

<u>Decision Point #4: Advance to Detailed Design?</u>

The following factors may be used to prioritize projects and determine which projects move on to the Concept Plan stage to the Design stage in any given year:

- The severity of speeding on the target street(s)
- Volume (average daily traffic)
- History of collisions on the target street(s)
- The complexity of the project, staff time, and available funding
- A fair and equitable distribution of projects across the City
- The number of years the project has waited for final design and funding
- The degree to which the project is partially or wholly funded by the applicant/neighborhood residents, thereby freeing up funds for other projects funded totally by the City
- Compatibility with other city projects

Projects that receive a lower ranking will be held back and ranked in the next round of projects. A project that does not receive funding after three years on the waiting list may undergo additional review and analysis to make sure that conditions have not changed and that the proposed Engineering solutions are still appropriate.

Projects with a high-ranking move on to the Design Stage.

H. Detailed Design

Traffic Engineering will perform detailed design work on highly ranked projects with Concept Plans that have been fully vetted with the Neighborhoods. The projects will be designed according to standard City procedures, generally conforming to practices set forth by the Institute of Transportation Engineers.

I. Bidding and Construction

The number of designed projects that enter the bidding and construction phase will depend on the NTSP budget each year. Construction by a contractor and inspection by city staff will follow standard City procedures.

J. Post-Construction Evaluation

Following installation of traffic calming measures, Traffic Engineering will conduct one or more follow-up evaluations to determine the effectiveness of the measures and identify the cause of any problems. Depending on the results, additional action may be required.

If the physical measures have resulted in unforeseen and unacceptable impacts, Traffic Engineering may remove or modify the devices following consultation with the Neighborhood. Such removal or modification generally would not occur until at least one full year following installation, but the timing is at the discretion of Traffic Engineering.

If streets are negatively affected by traffic calming devices installed by the City on other streets, and data collected by Engineering reflects this, then the affected streets will be eligible to go through an expedited version of the NTSP. These streets will have to complete the NTSP process to receive speed humps.

This Page Intentionally Blank



APPLICATION FOR A NEIGHBORHOOD TRAFFIC SAFETY STUDY

Neighborhood Traffic Safety Program

* * * * * Request from a Neighborhood Organization * * * * *

Organization Name			
Mailing Address			
Contact Porcon			
Contact Person			
Position with the Organization			
PhoneEmail	il		
This application must be appromembership. Has such approx			or
* * *	* * Request from Indiv	viduals * * * * *	
We three unrelated individuals considered for the NTSP. We organization representing our	have discussed this app		
Contact Person			
Contact PersonAddress		Phone_	
Email			
* * * * *			• •
Name			_
Address		Phone	
Email			
			* *
Name			
Address		Phone	_
Emall			

* * * * * <u>Target Area</u> * * * * *

Please list the street(s) where speeding is occurring, as well as the street classification.

Applicants may list local streets — those not listed in the Major Road Plan for the

City of Knoxville and Knox County. Minor collectors, which are listed in the Major

Road Plan, will also be considered.

Major Road Plan: https://archive.knoxplanning.org/zoning/Major_Road_Plan.pdf

In some cases, speeding may be confined to just one street segment. A street segment is defined as one or more blocks of the problem street between two cross streets. For example, the problem street might be Maple Street <u>between</u> Oak Avenue <u>and</u> Elm Street.

Problem Street	Class	sification
BETWEEN	AND	
Problem Street	Class	sification
BETWEEN	AND	
Problem Street	Class	sification
BETWEEN	AND	
Problem Street	Class	sification
BETWEEN	AND	
Describe the problem. For example, is the speedi times of the day as well? Use additional sheet and		

problem alongside others in the cit	elieve the City should consider when ranking this speeding y. For example, you could mention proximity to a school, other considerations that make the speeding more of a see additional page if necessary.
* * * *	Outreach to Neighbors * * * * *
with City officials in connection with Program (NTSP). To partner with the neighbors about the date, time and	have the right to be informed of any public meetings held in this Application for the Neighborhood Traffic Safety he City, we promise to take responsibility for informing our I place of these meetings and about the NTSP. We portunity to work with the City to determine the residential this purpose.
Signed by the Contact Pers	son for Your Group:
Signature: _	
Print Name: _	
Date:	

Please submit this application to hhoward@knoxvilletn.gov or by postal mail to Hayley Howard, Office of Neighborhood Empowerment, City of Knoxville, P.O. Box 1631, Knoxville TN 37902. Questions should be directed to Hayley Howard, as well.



PETITION

We, the undersigned residents ofconcerned about excessive speeding on our street.	(street name), are
We understand that:	
 The City of Knoxville will conduct a Neighborhood Traffic simple majority (50% +1) of households have signed a present the City may install traffic calming if the evidence state only effective means for reducing speeding that "Traffic calming measures" may include physical devices The City would not take these steps without public neighbor opportunities for neighbor input on the traffic calming plan 	hows such measures are endangers public safety. s such as speed humps. hborhood meetings and
Print Name	Phone
Street Address	
Email	
Signature	
	Discos
Print Name	Phone
Street Address	
Email	
Signature	
Print Name	Phone
Street Address	
Email	

Signature

TRAFFIC SAFETY EDUCATION TOOLBOX

Neighborhood Traffic Safety Program

The City of Knoxville has developed a series of tools that Neighborhoods can use in neighborhood-centric education campaigns to persuade drivers to reduce speeds. Basic tools are available to all neighborhoods, whereas advanced tools are available to neighborhoods that have successfully submitted an application and petition for a traffic study.

- Basic Tools are available to neighborhoods at any time, whether or not they have applied for a Neighborhood Traffic Safety Study.
- Advanced Tools can be deployed in neighborhoods that have qualified for the development of a Concept Plan. Depending on availability, Advanced Tools may also be available to neighborhoods where a Traffic Safety Education Study was conducted.

Study was conducted.			
Toolbox	Basic	Advanced	
Item	Level	Level	
NTSP Brochure	Provided by the City	Provided by the City	
Online Tools			
 Includes templates for brochures, 			
articles, fliers, personalized letters etc.			
that can be modified by Neighborhood			
for its needs.		,	
Neighborhood responsible for printing.	$\sqrt{}$	V	
Suggestions & caveats for high			
visibility activities such as human billboarding, use of pacer cars, and			
neighborhood bike rides.			
 Attitude survey aimed at n'hood residents. 			
• Links to various online resources.			
Tips on approaching neighbors,			
holding meetings, mounting an			
education campaign.			
Brochures			
Select number of brochures printed in	Provided at <u>full</u> cost	Provided free of cost to	
bulk by the City.	to the	the Neighborhood	
Brochures target specific groups, e.g.	Neighborhood		
teen drivers.			
Bumper Stickers	Provided <u>free of</u>	Provided free of cost to	
 Messages and Designs to be determined. 	cost to the	the Neighborhood	
	Neighborhood		

 Yard Signs City provides 3-6 signs for each major entrance into the problem areas of the neighborhood. Neighborhood responsible for upkeep, placement, and permission of property owner. Signs are political style signs (corrugated plastic with wire anchors). Placement cannot be in the right-of-way and must be temporary to comply with sign ordinance. 	Provided at <u>full</u> cost to the Neighborhood	Provided <u>free of cost</u> to the Neighborhood
 Radar Display Units Unit records speed and other data. Displays driver's speed and/or a message. Best deployed in conjunction with a neighborhood education campaign. 	n/a	Deployed as available for a limited period of time.

TRAFFIC CALMING TOOLBOX

Neighborhood Traffic Safety Program

Under the Neighborhood Traffic Safety Program, the City of Knoxville will consider using any of the four measures investigated and approved by the Institute of Traffic Engineers (ITE) — vertical deflections, horizontal shifts, and roadway narrowings. *However, this program typically funds speed humps which are vertical deflections.*

Here is ITE's description of these measures. Visit http://www.ite.org/traffic/tcdevices.asp for photos and diagrams, along with an overview of how these measures are deployed, design and installation issues, potential impacts, emergency response issues, pros and cons of each measure, and cost. (Note that the cost estimates may be low in current dollars.)

1. Vertical Deflections – *primary means for this program*

A. Speed Humps

- rounded raised areas of pavement typically 12 to 14 feet in length
- often placed in a series (typically spaced 300 to 600 feet apart)
- sometimes called road humps or undulations

B. Speed Tables

- long raised speed humps with a flat section in the middle and ramps on the ends; sometimes constructed with brick or other textured materials on the flat section
- sometimes called flat top speed humps, trapezoidal humps, speed platforms, raised crosswalks, or raised crossings

C. Raised Intersections

- flat raised areas covering entire intersections, with ramps on all approaches and often with brick or other textured materials on the flat section and ramps
- sometimes called raised junctions, intersection humps, or plateaus

2. Horizontal Shifts

A. Neighborhood Traffic Circle

- raised islands, placed in intersections, around which traffic circulates
- motorists yield to motorists already in the intersection
- require drivers to slow to a speed that allows them to comfortably maneuver around them
- sometimes called intersection islands
- different from roundabouts

B. Chicanes

- a series of narrowings or curb extensions that alternate from one side of the street to the other forming S-shaped curves
- also called deviations, serpentines, reversing curves, twists, and staggerings

3. Roadway Narrowings

A. Choker

- curb extensions at midblock or intersection corners that narrow a street by extending the sidewalk or widening the planting strip
- can leave the cross section with two narrow lanes or with a single lane
- at midblock, sometimes called parallel chokers, angled chokers, twisted chokers, angle points, pinch points, or midblock narrowings
- at intersections, sometimes called neckdowns, bulbouts, knuckles, or corner bulges
- if marked as a crosswalk, they are also called safe crosses

B. Center Island Narrowing

- raised islands located along the centerline of a street that narrow the travel lanes at that location
- sometimes called midblock medians, median slow points, or median chokers



OTHER ENGINEERING TOOLS

Neighborhood Traffic Safety Program

Following the Neighborhood Traffic Safety Study, some Neighborhoods will not advance immediately to the Concept Plan stage. How fast and how far they advance in the process will depend on the severity of speeding on their streets and the number of NTSP applicants, along with program funding and staff levels. In the meantime, the following tools may be available to these neighborhoods.

Speed Limit Signs

 By ordinance, the default limit is 25 miles per hour, in other words, the speed limit is 25 unless otherwise posted. Traffic Engineering has the discretion to consider reducing this further, if conditions justify it. A 25 mph speed limit is appropriate for the majority of neighborhood streets.

On-Street Parking

- Boost on-street parking to one or both sides to "narrow" the street, encouraging drivers to slow down.
- Requires resident buy-in and city approval.
- May include striping to indicate parking areas

Pavement Markings

- 25 MPH or other warnings are painted directly on the street.
- Striping for bike lanes if the pavement is wide enough and if a new bike lane would create useful connections to planned or existing bike facilities or bike traffic generators.



FREQUENTLY ASKED QUESTIONS (FAQ)

Neighborhood Traffic Safety Program

1. Why is this program confined to local streets and minor collectors? Why not major collectors and arterials as well?

There is no question that speeding is a problem on major collectors and arterials, and that such roads are in residential areas. However, there are several reasons this program is confined to local streets and minor collectors located within neighborhoods:

First, we have a very large unmet need to slow speeding on local streets and minor collectors in the interior of neighborhoods. It makes sense to tackle these needs first. Generally, projects on these streets will be more cost effective, and therefore more projects can be designed and built in more neighborhoods.

Second, by their nature, major collectors and arterials are part of a larger network of roads. The impact of traffic calming measures placed on major collectors and arterials is harder to predict.

Third, the City routinely looks at traffic safety on larger roadways, but this effort is beyond the scope of this particular NTSP program.

Finally, traffic calming devices and street modifications have a measurable impact on emergency response time. On local streets, this impact can be measured in seconds and affects fewer citizens. But on major collectors and arterials, this impact can be significant, affecting more people and making the impediments harder to justify.

2. Who determines street classification?

In order to provide clear guidance on which streets are and are not eligible for the NTSP, the City chose to rely on our community's road classification system, details of which are readily available to the general public.

Knoxville Knox County Planning — in consultation with the city and county engineering departments — determines street classifications as part of its overall responsibility for maintaining the "Major Road Plan for the City of Knoxville and Knox County." The plan was last updated in 2018 and can be found on the Knoxville Knox County Planning site here: https://archive.knoxplanning.org/zoning/Major_Road_Plan.pdf.

The main purpose for the Major Road Plan is to determine right-of-way dedication requirements, which are generally based on roadway classification. For example, a greater right-of-way width will typically be required for an Arterial than a Collector roadway. The Major Road Plan also includes information about specific future improvements and new roadway connections (where identified in transportation plans)

so that appropriate rights-of-way can be preserved. Road classification can also be a determining factor in certain zoning matters.

Knoxville Knox County Planning has no set timetable for reviewing classifications. For more questions, you may contact contact@knoxplanning.org.

3. Why can't the City install stop signs to reduce speeding?

Stop signs function to regulate traffic flow and traffic interaction. They do not control speed.

Stop signs — as well as traffic lights — are installed based on criteria developed by the Federal Highway Administration. These criteria are called "warrants," which are benchmarks for the number of vehicles traveling on the main street and side streets. Other warrants include the proximity of schools and pedestrians, as well as the history of crashes preventable by stop signs or traffic lights. These warrants have been adopted by the State of Tennessee and have the force of law.

Engineering studies have shown that motorists over time tend to ignore unwarranted signs, increasing the risk of collisions and doing little or nothing to reduce speed.

Consider, for example, a 4-way stop installed at an intersection where one street is very busy and the cross street has very little traffic. Motorists who regularly travel the busy street will learn there is usually no cross traffic, and some motorists will tend to roll through the stop sign or ignore it altogether. A driver on the lightly traveled street may trust the stop sign, only to be broadsided by the cross-street driver who believes there is no reason to stop.

If a stop sign is not warranted, the Engineering Department will not recommend it. Some sign requests do result in new signs, but for other reasons. If no sign is warranted, the Department will still investigate to see if other solutions might address the problem.

4. How long will it take for our Neighborhood to get traffic calming measures?

Since this is a popular program, with a lot of backlog demand, the timing is hard to predict. How quickly a Neighborhood and the City are able to bring a project to a conclusion depends on the number of applicants, the time required to schedule and advertise neighborhood meetings, how quickly a Neighborhood can gather required petition signatures, how many neighborhoods qualify for the development of a concept plan, the complexity of any identified traffic calming solutions, limitations on staff time and funding, and perhaps other factors.

Some streets with minimal speeding may wait longer for traffic calming if there are streets with more severe speeding in the program.

5. How much money is budgeted for this program?

The annual allocation might change from year to year based on need, the success of the program, competing needs, and other factors.

6. How are speed limits established?

The default limit is 25 miles per hour. Traffic Engineering has the discretion to consider reducing this further, if conditions justify it. A 25 mph speed limit is appropriate for the majority of neighborhood streets

Speed limits on larger streets (collectors and above) are established by street design or by speed studies. In a speed study, the City surveys traffic characteristics such as speed using specialized equipment such as stationary radar detectors. The data are analyzed by traffic technicians, and then Traffic Engineering sets the speed limit.

7. What is the 85th percentile speed, how is it calculated, and how is it used?

The 85th percentile speed is the speed that 85% of drivers will travel at or below. 15% of drivers will exceed this speed.

Across the country, municipalities generally use the 85th percentile speed (as measured by specialized equipment) as the basis for setting the speed limit, on the theory that most drivers behave in a safe and prudent manner, do not drive at excessive speeds, and wish to avoid crashes.

In addition to the 85th percentile speed, Traffic Engineering also takes into account roadway design, adjacent land uses, accident history, and other data when setting the speed limit on a particular road.

In the Neighborhood Traffic Safety Program, the 85th percentile speed is also used as a basis for determining excess speed.

8. Why doesn't the City increase speeding fines?

The Tennessee State Constitution establishes the limit on how much local jurisdictions can fine citizens for misdemeanor offenses. That limit is \$50 per violation.

9. What are the pros and cons of traffic calming measures?

Benefits of Traffic Calming:

- Reduces speeds.
- Reduces volume.
- Reduces collision frequency and severity.
- Studies show that traffic calming can reduce crime in neighborhoods.
- Increases the safety of pedestrians and bicyclists.
- Increases the perception of safety for pedestrians and bicyclists.
- Enhances the street.
- May reduce cut-through vehicular traffic.
- Increases quality of life.
- Reduces the negative impacts of vehicles on the environment and the

- neighborhood.
- Reduces the need for police enforcement, hence reducing costs.

Disadvantages of Traffic Calming:

- Slight increase in emergency response time on local streets.
- Vehicles may be damaged and people injured by inappropriate driver behavior (e.g., driving too fast or inattentively).
- Snow removal is more difficult and time consuming.
- Installation cost.
- Additional signs and lighting may be required.
- Increased maintenance, especially where landscaping is included.
- Annoying to some residents (noise and inconvenience).
- Some treatments can impact resident access points into and out of the neighborhood.
- Some drivers may damage shock absorbers and struts on their vehicles if they repeatedly drive over speed humps at excessive speed.
- Some treatments (e.g. speed humps) may be considered unsightly.



GLOSSARY

Neighborhood Traffic Safety Program

For definitions and descriptions of individual traffic calming measures (chicanes, speed humps, traffic circles, etc.), see Appendix D "Traffic Calming Toolbox."

85th **Percentile Speed** — the speed at or below which 85% of all vehicles are observed to travel under free flowing conditions past a certain point.

Average Daily Traffic (ADT) — the total two-way traffic volume (number of vehicles) on a roadway for some period of time, divided by the total number of days during that period.

Concept Plan — a map showing the approximate location of traffic calming devices and/or roadway modifications, along with a description of these measures and their anticipated impact on vehicular traffic.

Education — One of the three E's of neighborhood traffic safety, Education refers to efforts to persuade drivers to drive at reasonable and rational speeds. See Appendix A.

Enforcement — One of the three E's of neighborhood traffic safety, Enforcement involves police stake-out of a street to enforce traffic laws, including speed limits. This cannot be guaranteed due to staffing and COVID-19.

Engineering — One of the three E's of neighborhood traffic safety, Engineering refers to traffic calming measures, including speed humps. See Appendix B.

Neighborhood — For purposes of this NTSP, a Neighborhood (capitalized) is defined as an established neighborhood organization registered with the City's Office of Neighborhood Empowerment or a residential neighborhood with no neighborhood organization.

Neighborhood Traffic Safety Study — This study consists of an analysis of driver behavior, speeding, volume of cars (average daily traffic), and traffic patterns to determine if a street or set of streets should be considered for a possible concept plan for traffic calming treatments.

NTSP — Neighborhood Traffic Safety Program.

Route Modification — a change affecting the way traffic moves along a roadway; may include physical impediments or signage such as one-way signs.

Traffic Calming — the use of physical measures and roadway modifications to reduce speeding in a residential neighborhood.

Traffic Engineering — the Traffic Engineering Division of the City of Knoxville's Engineering Department.